




## COVID-19

**ACT NOW!**



WEAR A MASK



STAY 6 FEET APART



AVOID CROWDS

# What to Expect after Getting a COVID-19 Vaccine

Updated Feb. 23, 2021

[Print](#)

COVID-19 vaccination will help protect you from getting COVID-19. You may have some side effects, which are normal signs that your body is building protection. These side effects may affect your ability to do daily activities, but they should go away in a few days.

## Common side effects

### On the arm where you got the shot:



- Pain
- Swelling

### Throughout the rest of your body



- Fever
- Chills
- Tiredness
- Headache

## Helpful tips

If you have pain or discomfort, talk to your doctor about taking over-the-counter medicine, such as ibuprofen, aspirin, antihistamines, or acetaminophen, for any pain and discomfort you may experience after getting vaccinated. You can take these medications to relieve post-vaccination side effects if you have no other medical reasons that prevent you from taking these medications normally. It is not recommended you take these medicines before vaccination for the purpose of trying to prevent side effects, because it is not known how these medications may impact how well the vaccine works.

### To reduce pain and discomfort where you got the shot



- Apply a clean, cool, wet washcloth over the area.
- Use or exercise your arm.

### To reduce discomfort from fever



- Drink plenty of fluids.
- Dress lightly.

# When to call the doctor

In most cases, discomfort from fever or pain is normal. Contact your doctor or healthcare provider:

- If the redness or tenderness where you got the shot increases after 24 hours
- If your side effects are worrying you or do not seem to be going away after a few days

If you get a COVID-19 vaccine and you think you might be having a severe allergic reaction after leaving the vaccination site, seek immediate medical care by calling 911. Learn more about [COVID-19 vaccines and rare severe allergic reactions](#).

## Scheduling your second shot?

If you need help scheduling your vaccine appointment for your second shot, contact the location that set up your appointment for assistance. For questions or if you are having trouble using vaccine management or scheduling systems, reach out to the organization that enrolled you in the system. This may be your state or local health department, employer, or vaccine provider.

## About your second shot

With both COVID-19 mRNA vaccines, you will need 2 shots to get the most protection. The timing between your first and second shot depends on which vaccine you received.

- If you received the [Pfizer-BioNTech](#) vaccine, you should get your second shot 3 weeks (or 21 days) after your first.
- If you received the [Moderna](#) vaccine, you should get your second shot 1 month (or 28 days) after your first.

You should **get your second shot as close to the recommended 3-week or 1-month interval as possible**. However, your second dose may be given up to [6 weeks \(42 days\) after the first dose, if necessary](#). You should not get the second dose earlier than the recommended interval.

## Remember

- Side effects can affect your ability to do daily activities, but they should go away in a few days.
- With most COVID-19 vaccines, you will need 2 shots in order for them to work. Get the second shot even if you have side effects after the first shot, unless a vaccination provider or your doctor tells you not to get a second shot.
- It takes time for your body to build protection after any vaccination. COVID-19 vaccines that require 2 shots may not protect you until a week or two after your second shot.

It's important for everyone to continue using all the tools available to help stop this pandemic as we learn more about how COVID-19 vaccines work in real-world conditions. Cover your mouth and nose with a mask when around others, stay at least 6 feet away from others, avoid crowds, avoid poorly ventilated spaces, and wash your hands often.



Printable Handout for Vaccine Recipient

What to Expect after Getting a COVID-19 Vaccine

## What to Expect after Getting a COVID-19 Vaccine

Accessible version: <https://www.cdc.gov/coronavirus/2019-nCoV/vaccines/expect-after.html>

COVID-19 vaccination will help protect you from getting COVID-19. You may have some side effects, which are normal signs that your body is building protection. These side effects **may feel like flu** and **may even affect your ability** to do daily activities, but they should go away in a few days.

### Common side effects

#### On the arm where you got the shot:

- Pain
- Swelling

#### Throughout the rest of your body:

- Fever
- Tiredness
- Chills
- Headache

### Helpful tips

If you have pain or discomfort, talk to your doctor about taking an over-the-counter medicine, such as ibuprofen or acetaminophen.

#### To reduce pain and discomfort where you got the shot:

- Apply a clean, cool, wet washcloth over the area.
- Use or exercise your arm.

#### To reduce discomfort from fever:

- Drink plenty of fluids.
- Dress lightly.



**Ask your healthcare provider about getting started with v-safe**

Use your smartphone to tell CDC about any side effects after getting the COVID-19 vaccine. You'll also get reminders if you need a second dose.

Learn more about v-safe.  
[www.cdc.gov/vsafe](https://www.cdc.gov/vsafe)

### When to call the doctor

In most cases, discomfort from fever or pain is normal. Contact your doctor or healthcare provider:

- If the redness or tenderness where you got the shot increases after 24 hours
- If your side effects are worrying you or do not seem to be going away after a few days

English  [199 KB, 1 page]

Español  [158 KB, 1 página]

## More Information

[Ensuring the safety of COVID-19 vaccines in the United States](#)

---

[Benefits of getting a COVID-19 vaccine](#)

---

[How to protect yourself and others](#)